

# HOW TO SETUP RADIANT ADSL SERVICE


Windows XP Setup Guide




# How to Setup Windows XP with Radiant DSL

## Windows XP Setup – “Classic View”

1. Click on start and scroll to Settings and then to CONTROL PANEL.
2. Double Click on the Network Connections icon.
3. Double click on the Local Area Connection. This should bring up the *Local Area Connection Status* window.



4. Click on the PROPERTIES button. This should bring up the *Local Area Connection Properties* window.



5. Click once on the words INTERNET PROTOCOL (TCP/IP) to highlight it and click on the PROPERTIES button. This should bring up the *Internet Protocol (TCP/IP)* Properties window. Be sure not to uncheck any of the boxes located beside an item. If you do, simply click on the empty check box and a check mark will reappear.
6. Click on the USE THE FOLLOWING IP ADDRESS radial button.
7. Click on the box next to IP ADDRESS and enter in a unique IP Address provided on your cover letter.
8. Click on the box next to SUBNET MASK and enter in the Subnet Mask provided on your cover letter.
9. Click on the box next to DEFAULT GATEWAY, enter in the Gateway provided on your cover letter.
10. Click on the USE THE FOLLOWING DNS SERVER ADDRESSES radial button. In the boxes next to PREFERRED DNS SERVER and ALTERNATE DNS SERVER, enter the DNS Server Addresses provided to you on your cover letter.
11. Click on the OK button.